



PWI-AC75NE A Slim Solution

User's Manual

Prudent Way Slim Universal Laptops/LCDs 75 watt AC Adapter PWI-AC75NE

Prudent Way Slim Universal Laptops/LCDs 75watt AC Adapter User's Manual **Model: PWI-AC75NE**

Table of Contents

1.	Major Features	2
2.	Safety & Warning	2
3.	Contents	2
4.	Using Prudent Way Universal Laptops & LCDs AC Adapter	3
5.	Product Specification	4

Prudent Way Slim Universal Laptops/LCDs 75watt AC Adapter User's Manual

Model: PWI-AC75NE

Thank you for choosing Prudent Way Universal Laptops AC Power Adapter. Please take the time to read all instructions in this user manual carefully before using the Adapter. Please note that failure to follow the proper instructions may cause fire, electric shock, injury, or damage to electronic devices.

We sincerely hope that you find this quality Adapter provides you with many years of good service.

1. Major Features

- 100-240V AC input provides worldwide power conversion capability.
- Adjustable 10-20V output design fits notebook models.
- 14 pieces of tip connector for use with most major notebook brands such as Acer, Asus, Dell, Fujitsu, Gateway, HP/Compaq, IBM/Lenovo, MSI, Samsung, Sony, Toshiba and More¹.
- Extra USB port built in for PDAs, Cell Phones, MP3 Players, iPhone, iPad, iPod, Tablet PC, and more*.
- RoHS compliancy is friendly to environment.
- High efficiency & full power protection.
- Digital LED Light

2. Safety & Warning

Please read the following information carefully before using the power adapter!

- ! This power adapter is for indoor use only.
- ! This power adapter is for use with information technology equipment.
- DO NOT disassemble this Adapter. There are HAZARDOUS VOLTAGES inside the power adapter. Disassembling the Adapter may expose you to high voltage or other risks. Incorrectly reassembly may cause electronic shock the next time when the device is used. Warranty will be voided by doing so.
- DO NOT expose the Adapter and related information technology equipment to water or moist, dusty or extreme temperature environment such as direct sunlight, heat sensitive material or any heat generated sources such as a radiator, stove, or car.
- DO NOT block the ventilation. The ventilation is designed to protect the Adapter from overheating.
- DO NOT place the Adapter in a built-in installation, or on a surface such as a bed, sofa, or rug.
- DO NOT use wet hands to plug or unplug the power cord to avoid electric shock.
- ✓ DO follow all warnings and instructions marked on the product.
- ✓ DO grab the plug instead of cord when you remove the power cord from the wall outlet.
- ✓ DO remove any power sources from this Adapter before attempting any cleaning to avoid electrical shock. Use a dry cloth only.
- ✓ DO place the power cable properly so it will not be steeped on or tripped over.
- ✓ DO unplug the Adapter and contact the dealer from which it was purchased when:
 - o The Adapter is damaged.
 - The Adapter does not perform properly.
 - o The Adapter has been exposed to water.

3. Contents

	PWI-AC75NE
AC power adapter	75-watt
14 tip connectors	✓
Input and output cables	✓
User manual	✓
Compatibility list	✓

Model: PWI-AC75NE

4. For Notebook computer

- Step 1. Read the Safety and Warning information above.
- Step 2. Please refer to your notebook computer user manual or check on the back of the notebook computer to find the correct input voltage requirement for your notebook computer. To select proper input voltage (10V (9.5/10.5V), 12V, 15V, 16V, 18V (18/18.5V), 19V (19/19.5V), 20V) on the Adapter to fit your notebook computer need (Picture 1), please manually move the voltage selection switch located on the right bottom of the adapter. The LED indicator (on the right top of the adapter) will show the voltage that you have manually selected.
- Step 3. Choose correct tip connector to fit your laptops power socket and connect it to the Adapter output cable (Picture 2).

For more detail info about tip selections, please visit http://www.prudentway.com check UNIVERSAL ADAPTERS.

Warning:

DO NOT use Tip L for HP Laptops. DO NOT use Tip M for DELL Laptops.

Note! Each tip connector has a special 2-pin design with only one pluggable direction to make sure you do not plug the tip connector to the wrong direction on the adapter output cable and cause damage to your notebook. If you experience difficulty to plug the tip connector to the holes on the output cable, please check if you plug it to the wrong direction.

- Step 4. Connect the tip connector to the power socket of your notebook (Picture 3).
- Step 5. Connect the Adapter input power cable to the AC socket of the Adapter (Picture 4). Then plug the other end of AC power cable to the wall outlet (Picture 5).
- Step 6. Turn on and use your notebook.


For devices with USB interfaces such as MP3, cell phones, iPod, iPhone, iPad and more*:

- Step 1. Read the Safety and Warning information above.
- Step 2. Please connect the USB Type A cable provided by your USB device company to the USB port of the Adapter.
- Step 3. Follow Step 5 as stated above.
- Step 4. Turn on and use your USB device.

For LCDs: Please follow the same steps as you use for notebook computer. Most LCDs use 12V.



Picture 1



Picture 2



Picture 3



Picture 4



Picture 5



Prudent Way Slim Universal Laptops/LCDs 75watt AC Adapter User's Manual **Model: PWI-AC75NE**



5. Product Specification

	PWI-AC75NE
FEATURES	
Output Power (Max.)	75W
Overload Protection	Yes
Short Circuit Protection	Yes
Line Regulation	+/- 5%
Load Regulation	+/- 5%
Switching Mode	Universal switching-mode power adapter for notebooks
Special Connectors	14 tip connectors including 7.4x5mm for Dell (with Smart Pin). 7.4x5mm for HP (with Smart Pin), 2.5x0.5mm for ASUS netbook, 4.8x1.7mm for HP, 3.0x1.0mm for tablet, 4.0x1.35mm for ASUS.
Efficiency	> 87% (TYP)
Fanless	yes
DIMMENSIONS	
Unit Size	4.33" x2.12 " x 0.98" (110 x54 x25 mm)
Net Weight	8oz
ОИТРИТ	
Output Voltage (0/+0.9V No Load)	10V/12V/15V/16V/18V/19V/20V DC10V-20V
	USB Port: 5V 2A
PWI-AC 75NE: Output Voltage (-0.9/+0.8V @rating load)	10V/12V/15V/16V/18V/19V/20V DC10V-20V
	USB Port: 5V 2A
Output Current	10V/12V/15V/16V/18V@4.2Amp(max)
	19V/20V @ 3.75AMP (max)
	USB Port: 5V 2A
INPUT	
Rated Input Voltage (50 - 60 Hz)	AC120V or AC230V
Vibration Input Voltage Range (47-63Hz)	AC100V-240V
Input Rated Current	1.35AMP
Input Power	85VA
ENVIRONMENTAL	
Operating Temp.	0 to 40℃
Humidity	20% to 80%
RoHS Compliant	Yes

Prudent Way Slim Universal Laptops/LCDs 75watt AC Adapter User's Manual **Model: PWI-AC75NE**

For feedback about this product, please contact

Prudent Way Inc

Toll Free: (866)384-3873

Email: feedback@prudentway.com

For support or general inquiry, please contact

Prudent Way Inc

Toll Free: (866)384-3873

Email: Support@prudentway.com

Made in China

¹ All listing of brand names are registered trademarks of their respective companies.

² Certification





